

L Number	Hits	Search Text	DB	Time stamp
1	640	(73/1.16-1.36).ccls.	USPAT	2004/06/09 08:34
2	640	(73/1.16,1.17,1.18,1.19,1.21,1.22,1.23,1.24,1.25,1.26,1.27,1.28,1.29,1.31,1.32	USPAT	2004/06/09 08:35
3	329	(702/87,88,100).ccls.	USPAT	2004/06/09 08:36
4	934	((73/1.16,1.17,1.18,1.19,1.21,1.22,1.23,1.24,1.25,1.26,1.27,1.28,1.29,1.31,1.32 or ((702/87,88,100).ccls.))	USPAT	2004/06/09 08:37
5	7390	(flowmeter\$ or meter\$ or sens\$ or detect\$) near15 (adjust\$ or calibrat\$ or correct\$) near15 zero\$	USPAT	2004/06/09 10:53
6	1279	(determin\$ or measur\$ or sens\$ or detect\$ or comput\$ or test\$ or calculat\$) near12 plurality near8 zero\$	USPAT	2004/06/09 08:44
7	10	((73/1.16,1.17,1.18,1.19,1.21,1.22,1.23,1.24,1.25,1.26,1.27,1.28,1.29,1.31,1.32 or ((702/87,88,100).ccls.)) and ((flowmeter\$ or meter\$ or sens\$ or detect\$) near15 (adjust\$ or calibrat\$ or correct\$) near15 zero\$) and ((determin\$ or measur\$ or sens\$ or detect\$ or comput\$ or test\$ or calculat\$) near12 plurality near8 zero\$)	USPAT	2004/06/09 08:44
10	1	6272438.pn. and (zero mass flow)	USPAT	2004/06/09 10:19
11	1652927	6272438.pn. and (zero mass flow)	USPAT	2004/06/09 10:19
12	1	6272438.pn. and (zero mass flow)	USPAT	2004/06/09 10:19
17	121	((flowmeter\$ or meter\$ or sens\$ or detect\$) near15 (adjust\$ or calibrat\$ or correct\$) near15 zero\$) and ((determin\$ or measur\$ or sens\$ or detect\$ or comput\$ or test\$ or calculat\$) near12 plurality near8 zero\$) and ((determin\$ or measur\$ or sens\$ or detect\$ or comput\$ or test\$ or calculat\$) near12 plurality near8 zero\$) not	USPAT	2004/06/09 10:54
18	457	((flowmeter\$ or meter\$ or sens\$ or detect\$) near15 (adjust\$ or calibrat\$ or correct\$) near15 zero\$) and ((determin\$ or measur\$ or sens\$ or detect\$ or comput\$ or test\$ or calculat\$) near12 plurality near8 zero\$) and ((determin\$ or measur\$ or sens\$ or detect\$ or comput\$ or test\$ or calculat\$) near12 plurality near8 zero\$) not	USPAT	2004/06/09 11:51
19	12	((flowmeter\$ or meter\$ or sens\$ or detect\$) near15 (adjust\$ or calibrat\$ or correct\$) near15 zero\$) and ((determin\$ or measur\$ or sens\$ or detect\$ or comput\$ or test\$ or calculat\$) near12 plurality near8 zero\$) not	USPAT	2004/06/09 11:51
20	1	((flowmeter\$ or meter\$ or sens\$ or detect\$) near15 (adjust\$ or calibrat\$ or correct\$) near15 zero\$) and ((determin\$ or measur\$ or sens\$ or detect\$ or comput\$ or test\$ or calculat\$) near12 plurality near8 zero\$) and ((determin\$ or measur\$ or sens\$ or detect\$ or comput\$ or test\$ or calculat\$) near12 plurality near8 zero\$) not	USPAT	2004/06/09 11:01
23	0	((flowmeter\$ or meter\$ or sens\$ or detect\$) near15 (adjust\$ or calibrat\$ or correct\$) near15 zero\$) and ((determin\$ or measur\$ or sens\$ or detect\$ or comput\$ or test\$ or calculat\$) near12 plurality near8 zero\$) and ((determin\$ or measur\$ or sens\$ or detect\$ or comput\$ or test\$ or calculat\$) near12 plurality near8 zero\$) not	USPAT	2004/06/09 11:56
24	0	((flowmeter\$ or meter\$ or sens\$ or detect\$) near15 (adjust\$ or calibrat\$ or correct\$) near15 zero\$) and ((determin\$ or measur\$ or sens\$ or detect\$ or comput\$ or test\$ or calculat\$) near12 plurality near8 zero\$) and ((determin\$ or measur\$ or sens\$ or detect\$ or comput\$ or test\$ or calculat\$) near12 plurality near8 zero\$) not	USPAT	2004/06/09 11:57
29	0	((flowmeter\$ or meter\$ or sens\$ or detect\$) near15 (adjust\$ or calibrat\$ or correct\$) near15 zero\$) and ((determin\$ or measur\$ or sens\$ or detect\$ or comput\$ or test\$ or calculat\$) near12 plurality near8 zero\$) and ((determin\$ or measur\$ or sens\$ or detect\$ or comput\$ or test\$ or calculat\$) near12 plurality near8 zero\$) not	USPAT	2004/06/09 12:11
30	4	((flowmeter\$ or meter\$ or sens\$ or detect\$) near15 (adjust\$ or calibrat\$ or correct\$) near15 zero\$) and ((determin\$ or measur\$ or sens\$ or detect\$ or comput\$ or test\$ or calculat\$) near12 plurality near8 zero\$) and ((determin\$ or measur\$ or sens\$ or detect\$ or comput\$ or test\$ or calculat\$) near12 plurality near8 zero\$) not	USPAT	2004/06/09 12:10
31	4	((flowmeter\$ or meter\$ or sens\$ or detect\$) near15 (adjust\$ or calibrat\$ or correct\$) near15 zero\$) and ((determin\$ or measur\$ or sens\$ or detect\$ or comput\$ or test\$ or calculat\$) near12 plurality near8 zero\$) and ((determin\$ or measur\$ or sens\$ or detect\$ or comput\$ or test\$ or calculat\$) near12 plurality near8 zero\$) not	USPAT	2004/06/09 12:11
32	0	((flowmeter\$ or meter\$ or sens\$ or detect\$) near15 (adjust\$ or calibrat\$ or correct\$) near15 zero\$) and ((determin\$ or measur\$ or sens\$ or detect\$ or comput\$ or test\$ or calculat\$) near12 plurality near8 zero\$) and ((determin\$ or measur\$ or sens\$ or detect\$ or comput\$ or test\$ or calculat\$) near12 plurality near8 zero\$) not	USPAT	2004/06/09 12:15

33	0	(comput\$ or calculat\$ or determin\$) near12 zero\$ near15 (different or range or plurality) near8 (temperature\$ or pressure\$) near35 (flowmeter\$ or (flow near8 meter\$))	USPAT	2004/06/09 12:14
34	0	(stor\$ or memory) near12 zero\$ near15 (different or range or plurality) near8 (temperature\$ or pressure\$) near35 (flowmeter\$ or (flow near8 meter\$))	USPAT	2004/06/09 12:15
35	11	(comput\$ or calculat\$ or determin\$ or stor\$ or memory) near8 zero\$ near12 plurality near8 (temperature\$ or pressure\$)	USPAT	2004/06/09 12:16
37	135620	flowmeter\$ or (flow near8 (sens\$ or detect\$ or meter\$))	USPAT	2004/06/09 12:17
38	0	(6374190.PN. and (((flowmeter\$ or meter\$ or sens\$ or detect\$) near15 (adjust\$ or calibrat\$ or correct\$) near15 zero\$) and ((determin\$ or measur\$ or sens\$ or detect\$ or comput\$ or test\$ or calculat\$) near12 plurality near8 zero\$) not (((73/1.36 73/1.35 73/1.34 73/1.33 73/1.32 73/1.31 73/1.29 73/1.28 73/1.27 73/1.26 73/1.25 73/1.24 73/1.23 73/1.22 73/1.21 73/1.19 73/1.18 73/1.17 73/1.16).ccls.) or ((702/100 702/88 702/87).ccls.))) and (zero\$ near25 (correction or calibration) near12 (lookup or (look near1 up) or memory or chart)))) and (flowmeter\$ or (flow near8 (sens\$ or detect\$ or meter\$)))	USPAT	2004/06/09 12:17
36	7	((comput\$ or calculat\$ or determin\$ or stor\$ or memory) near8 zero\$ near12 plurality near8 (temperature\$ or pressure\$)) not (((stor\$ or memory or lookup or (look near1 up) or chart) near12 zero\$ near12 plurality near12 (temperature\$ or pressure\$)) or ((((flowmeter\$ or meter\$ or sens\$ or detect\$) near15 (adjust\$ or calibrat\$ or correct\$) near15 zero\$) and ((determin\$ or measur\$ or sens\$ or detect\$ or comput\$ or test\$ or calculat\$) near12 plurality near8 zero\$) not (((73/1.16,1.17,1.18,1.19,1.21,1.22,1.23,1.24,1.25,1.26,1.27,1.28,1.29,1.31,1. or ((702/87,88,100).ccls.))) and (zero\$ near25 (correction or calibration) near12 (lookup or (look near1 up) or memory or chart))) or (6272438.pn. and (zero mass flow)) or (((73/1.16,1.17,1.18,1.19,1.21,1.22,1.23,1.24,1.25,1.26,1.27,1.28,1.29,1.31,1. or ((702/87,88,100).ccls.)) and ((flowmeter\$ or meter\$ or sens\$ or detect\$) near15 (adjust\$ or calibrat\$ or correct\$) near15 zero\$) and ((determin\$ or measur\$ or sens\$ or detect\$ or comput\$ or test\$ or calculat\$) near12 plurality near8 zero\$)))	USPAT	2004/06/09 12:18